*Electroencephalography and clinical Neurophysiology*, 1987, 68: 485–488
Elsevier Scientific Publishers Ireland, Ltd.



# INDEX OF AUTHORS

VOLUME 68, 1987

(The numbers followed by P refer to abstracts from Society Proceedings)

Alho, K., Töttölä, K., Reinikainen, K., Sams, M. and Näätänen, R., Brain mechanism of selective listening reflected by event-related potentials, 458
Artru, F., see Bertrand, O., 433
Artru, F., see Garcia-Larrea, L., 446

Bartel, P., Conradie, J., Robinson, E., Prinsloo, J. and Becker, P., The relationship between median nerve somatosensory evoked potential latencies and age and growth parameters in young children, 180
Baumann, R., see Gilmore, R., 28
Becker, P., see Bartel, P., 180
Belsh, J.M. and Chokroverty, S., Short-latency somatosensory evoked potentials in brain-dead patients, 75
Benderley, A., see Ken-Dror, A., 209
Bertrand, O., Garcia-Larrea, L., Artru, F., Mauguière, F. and Pernier, J., Brain-stem monitoring. I. A system for high-rate sequential BAEP recording and feature extraction, 433
Bertrand, O., see Garcia-Larrea, L., 446
Bobak, P., Bodis-Wollner, I. and Guillory, S., The effect of blur and contrast on VEP latency: comparison between check and sinusoidal grating patterns, 247
Bodis-Wollner, I., see Bobak, P., 247
Bodis-Wollner, I., Feldman, R.G., Guillory, S.L. and Mylin, L., Delayed visual evoked potentials are independent of pattern orientation in macular disease, 172
Bodis-Wollner, I. and Mylin, L., Plasticity of monocular and binocular vision following cerebral blindness: evoked potential evidence, 70
Bourguet, M., see Desmedt, J.E., 1
Brock, J., see Gilmore, R., 28
Burrows, F.A., see Keenan, N.K., 241
Bursick, D., see Guthkelch, A.N., 219
Butler, S.R., Georgiou, G.A., Glass, A., Hancox, R.J., Hopper, J.M. and Smith, K.R.H., Cortical generators of the CI component of the pattern-onset visual evoked potential, 256

Cadilhac, J., see Zhu, Y., 471
Caird, D.M. and Klinke, R., The effect of inferior colliculus lesions on auditory evoked potentials, 237
Campbell, K.B., see Picton, T.W., 119
Caramia, M., see Gigli, G.L., 424
Caramia, M., see Rossini, P.M., 88
Carroll, G.J., Comparison of median and radial nerve sensory latencies in the electrophysiological diagnosis of carpal tunnel syndrome, 101
Cartee, C., see Kraus, N., 234
Celesia, G.G., Kaufman, D. and Cone, S., Effects of age and sex on pattern electroretinograms and visual evoked potentials, 161
Chanal, J.M., see Collet, L., 231
Chiappa, K.H., see Oken, B.S., 153
Chimento, T.C., Williston, J.S., Jewett, D.L. and Gardi, J.N., The 3-channel Lissajous' trajectory of the auditory brainstem response. VIII. Isolated frog sciatic nerve in a volume conductor, 380
Chokroverty, S., see Belsh, J.M., 75
Clayworth, C.C., see Woods, D.L., 132, 202
Cohen, L.G., see Tapia, M.C., 226
Coles, J.G., see Keenan, N.K., 241
Collet, L., Delorme, C., Chanal, J.M., Dubreuil, C., Morgon, A. and Salle, B., Effect of stimulus intensity variation on brain-stem auditory evoked potentials: comparison between neonates and adults, 231
Cone, S., see Celesia, G.G., 161
Conradie, J., see Bartel, P., 180
Côté, R., see Thivierge, J., 479
Cracco, J.B., see Pelosi, L., 287
Cracco, R.Q., see Pelosi, L., 287

Daube, J.R., see Veilleux, M., 415
Delorme, C., see Collet, L., 231
Desmedt, J.E., Nguyen, T.H. and Bourguet, M., Bit-mapped color imaging of human evoked potentials with reference to the N20, P22, P27 and N30 somatosensory responses, 1
Dubreuil, C., see Collet, L., 231
Durrant, J.D., Pattern-reversal auditory evoked potential, 157

Eisen, A., see Goodridge, A., 268
Elidan, J., Langhofer, L. and Honrubia, V., Recording of short-latency vestibular evoked potentials induced by acceleration impulses in experimental animals: current status of the method and its applications, 58

Feldman, R.G., see Bodis-Wollner, I., 172

0168-5597/87/$03.50 © 1987 Elsevier Scientific Publishers Ireland, Ltd.

Fleming, P.J., see Stanley, O.H., 149
Freedman, M.H., see Taylor, M.J., 81

Gallant, T., see Taylor, M.J., 81
Garcia-Larrea, L., see Bertrand, O., 433
Garcia-Larrea, L., Bertrand, O., Artru, F., Pernier, J. and Mauguière, F., Brain-stem monitoring. II. Preterminal BAEP changes observed until brain death in deeply comatose patients, 446
Gardi, J.N., see Chimento, T.C., 380
Gardi, J.N., see Jewett, D.L., 323, 327, 333, 341, 349
Gardi, J.N., see Sininger, Y.S., 368
Gardi, J.N., Sininger, Y.S., Martin, W.H., Jewett, D.L. and Morledge, D.E., The 3-channel Lissajous' trajectory of the auditory brain-stem response. VI. Effects of lesions in the cat, 360
Georgesco, M., see Zhu, Y., 471
Georgiou, G.A., see Butler, S.R., 256
Gigli, G.L., Caramia, M., Marciani, M.G., Zarola, F., Lavaroni, F. and Rossini, P.M., Monitoring of subcortical and cortical somatosensory evoked potentials during carotid endarterectomy: comparison with stump pressure levels, 424
Gigli, G.L., see Rossini, P.M., 88
Gill, E., see Oken, B.S., 153
Gilmore, R., Brock, J., Hermansen, M.C. and Baumann, R., Development of lumbar spinal cord and cortical evoked potentials after tibial nerve stimulation in the pre-term newborns: effects of gestational age and other factors, 28
Glass, A., see Butler, S.R., 256
Goff, W.R., see Greenwood, P.M., 295
Goodridge, A., Eisen, A. and Hoirch, M., Paraspinal stimulation to elicit somatosensory evoked potentials: an approach to physiological localization to spinal lesions, 268
Greenwood, P.M. and Goff, W.R., Modification of median nerve somatic evoked potentials by prior median nerve, peroneal nerve, and auditory stimulation, 295
Guillory, S., see Bobak, P., 247
Guillory, S.L., see Bodis-Wollner, I., 172
Guthkelch, A.N., Bursick, D. and Sclabassi, R.J., The relationship of the latency of the visual P100 wave to gender and head size, 219

Hancox, R.J., see Butler, S.R., 256
Hermansen, M.C., see Gilmore, R., 28
Hoirch, M., see Goodridge, A., 268
Honrubia, V., see Elidan, J., 58
Hopper, J.M., see Butler, S.R., 256

Jewett, D.L., The 3-channel Lissajous' trajectory of the auditory brain-stem response. IX. Theoretical aspects, 386
Jewett, D.L., see Chimento, T.C., 380
Jewett, D.L., see Gardi, J.N., 360
Jewett, D.L., see Martin, W.H., 327, 333, 341, 349
Jewett, D.L., Martin, W.H., Sininger, Y.S. and Gardi, J.N., The 3-channel Lissajous' trajectory of the auditory brain-stem response. I. Introduction and overview, 323
Jewett, D.L., see Sininger, Y.S., 368

Kakigi, R., The effect of aging on somatosensory evoked potentials following stimulation of the posterior tibial nerve in man, 277
Katayama, Y. and Tsubokawa, T., Somatosensory evoked potentials from the thalamic sensory relay nucleus (VLP) in humans: correlations with short latency somatosensory evoked potentials recorded at the scalp, 187
Katzir, J., see Ken-Dror, A., 209
Kaufman, D., see Celesia, G.G., 161
Keenan, N.K. see Taylor, M.J., 81
Keenan, N.K., Taylor, M.J., Coles, J.G., Prieur, B.J. and Burrows, F.A., The use of VEPs of CNS monitoring during continuous cardiopulmonary bypass and circulatory arrest, 241
Ken-Dror, A., Pratt, H., Zeltzer, M., Sujov, P., Katzir, J. and Benderley, A., Auditory brain-stem evoked potentials to clicks at different presentation rates: estimating maturation of pre-term and full-term neonates, 209
Keränen, T., see Mervaala, E., 475
Klinke, R., see Caird, D.M., 237
Knight, R.T., see Woods, D.L., 132
Kramer, J.H., see Woods, D.L., 202
Kraus, N., Reed, N., Smith, D.I., Stein, L. and Cartee, C., High-pass filter settings affect the detectability of MLRs in humans, 234
Kwee, I., see Woods, D.L., 202

Langhofer, L., see Elidan, J., 58
Lasky, R.E., Rupert, A. and Waller, M., Reproducibility of auditory brain-stem evoked responses as a function of the stimulus, scorer and subject, 45
Lavaroni, F., see Gigli, G.L., 424
Logan, W.J., see Taylor, M.J., 81

MacMillan, L.J., see Taylor, M.J., 20
Marciani, M.G., see Gigli, G.L., 424
Marciani, M.G., see Rossini, P.M., 88
Martin, W.H., Gardi, J.N. and Jewett, D.L., The 3-channel Lissajous' trajectory of the auditory brain-stem response. V. Effects of stimulus intensity in the cast, 349
Martin, W.H., Jewett, D.L., Randolph, M.G., Williston, J.S. and Gardi, J.N., The 3-channel Lissajous' trajectory of the auditory brain-stem response. IV. Effects of electrode position in the cat, 341
Martin, W.H., Jewett, D.L., Williston, J.S. and Gardi, J.N., The 3-channel Lissajous' trajectory of the auditory brain-stem response. III. Formation, analysis and reliability of planar segments in the cat, 333.
Martin, W.H., Sininger, Y.S., Jewett, D.L., Gardi, J.N. and Morris, III, J.H., The 3-channel Lissajous' trajectory of the auditory brain-stem response. II. Methodology, 327
Martin, W.H., see Gardi, J.N., 360
Martin, W.H., see Jewett, D.L., 323
Martin, W.H., see Sininger, Y.S., 368
Mauguière, F., see Bertrand, O., 433
Mauguière, F., see Garcia-Larrea, L., 446
Menzies, R., see Taylor, M.J., 20

Mervaala, E., Keränen, T., Tiihonen, F. and Riekkinen, P., The effects of carbamazepine and sodium valproate on SEPs and BAEPs, 475
Molaie, M., Scalp-recorded short and middle latency peroneal somatosensory evoked potentials in normals: comparison with peroneal and median nerve SEPs in patients with unilateral hemispheric lesions, 107
Morgan, M.H., see Stanley, O.H., 149
Morgon, A., see Collet, L., 231
Morin, E., Scott, R.N. and Parker, P.A., Characterization and processing of surface recorded spinal somatosensory evoked potentials, 40
Morledge, D.E., see Gardi, J.N., 360
Morris, III, J.H., see Martin, W.H., 327
Morris, III, J.H., see Sininger, Y.S., 368
Mylin, L., see Bodis-Wollner, I., 70, 172

Näätänen, R., see Alho, K., 458
Naeser, M.A., see Woods, D.L., 132
Nakada, T., see Woods, D.L., 202
Nguyen, T.H., see Desmedt, J.E., 1

Oken, B.S., Chiappa, K.H. and Gill, E., Normal temporal variability of the P100, 153

Parker, P.A., see Morin, E., 40
Pearce, J.M., see Whyte, H.E., 223
Pelosi, L., Cracco, J.B. and Cracco, R.Q., Conduction characteristics of somatosensory evoked potentials to peroneal, tibial and sural nerve stimulation in man, 287
Pernier, J., see Bertrand, O., 433
Pernier, J., see Garcia-Larrea, L., 446
Picton, T.W., Vajsar, J., Rodriguez, R. and Campbell, K.B., Reliability estimates for steady-state evoked potentials, 119
Polich, J., Task difficulty, probability, and inter-stimulus interval as determinants of P300 from auditory stimuli, 311
Pratt, H., see Ken-Dror, A., 209
Prieur, B.J., see Keenan, N.K., 241
Prinsloo, J., see Bartel, P., 180

Randolph, M.G., see Martin, W.H., 341
Reed, N., see Kraus, N., 234
Reinikainen, K., see Alho, K., 458
Riekkinen, P., see Mervaala, E., 475
Robinson, E., see Bartel, P., 180
Rodriguez, R., see Picton, T.W., 119
Rossini, P.M., see Gigli, G.L., 424
Rossini, P.M., Gigli, G.L., Marciani, M.G., Zarola, F. and Caramia, M., Non-invasive evaluation of input-output characteristics of sensorimotor cerebral areas in healthy humans, 88
Rupert, A., see Lasky, R.E., 45

Salle, B., see Collet, L., 231
Sams, M., see Alho, K., 458
Sclabassi, R.J., see Guthkelch, A.N., 219
Scott, R.N., see Morin, E., 40
Shah, D., The 3-channel Lissajous' trajectory of the auditory brain-stem response. X. Proof that a rotating dipole generates planar data sequences, 409
Shucard, D.Wm., Shucard, J.L. and Thomas, D.G., Auditory event-related potentials in waking infants and adults: a developmental perspective, 303
Shucard, J.L., see Shucard, D.Wm., 303
Simpson, G.V., see Woods, D.L., 132
Sininger, Y.S., see Gardi, J.N., 360
Sininger, Y.S., Gardi, J.N., Morris, III, J.H., Martin, W.H. and Jewett, D.L., The 3-channel Lissajous' trajectory of the auditory brain-stem response. VII. Planar segments in humans, 368
Sininger, Y.S., see Jewett, D.L., 323
Sininger, Y.S., see Martin, W.H., 327
Skarf, B., see Taylor, M.J., 81
Smith, D.I., see Kraus, N., 234
Smith, K.R.H., see Butler, S.R., 256
Stanley, O.H., Fleming, P.J. and Morgan, M.H., Developmental wave form analysis of the neonatal flash evoked potential, 149
Starr, A., see Tapia, M.C., 226
Stein, L., see Kraus, N., 234
Sujov, P., see Ken-Dror, A., 209

Tapia, M.C., Cohen, L.G. and Starr, A., Selectivity of attenuation (i.e., gating) of somatosensory potentials during voluntary movement in humans, 226
Taylor, M.J., see Keenan, N.K., 241
Taylor, M.J., Keenan, N.K., Gallant, T., Skarf, B., Freedman, M.H. and Logan, W.J., Subclinical VEP abnormalities in patients on chronic deferoxamine therapy: longitudinal studies, 81
Taylor, M.J., Menzies, R., MacMillan, L.J. and Whyte, H.E., VEPs in normal full-term and premature neonates: longitudinal versus cross-sectional data, 20
Taylor, M.J., see Whyte, H.E., 223
Thivierge, J. and Côté, R., Brain-stem auditory evoked response (BAER): normative study in children and adults, 479
Thomas, D.G., see Shucard, D. Wm., 303
Tiihonen, F., see Mervaala, E., 475
Töttölä, K., see Alho, K., 458
Tsubokawa, T., see Katayama, Y., 187

Vajsar, J., see Picton, T.W., 119
Veilleux, M. and Daube, J.R., The value of ulnar somatosensory evoked potentials (SEPs) in cervical myelopathy, 415

Waller, M., see Lasky, R.E., 45
Whyte, H.E., Pearce, J.M. and Taylor, M.J., Changes in the VEP in preterm neonates with arousal states, as assessed by EEG monitoring, 223
Whyte, H.E., see Taylor, M.J., 20
Williston, J.S., see Chimento, T.C., 380
Williston, J.S., see Martin, W.H., 333, 341

Woods, D.L., Clayworth, C.C., Knight, R.T., Simpson, G.V. and Naeser, M.A., Generators of middle- and long-latency auditory evoked potentials: implications from studies of patients with bitemporal lesions, 132
Woods, D.L., Kwee, I., Clayworth, C.C., Kramer, J.H. and Nakada, T., Sensory and cognitive evoked potentials in a case of congenital hydrocephalus, 202
Zarola, F., see Gigli, G.L., 424
Zarola, F., see Rossini, P.M., 88
Zeltzer, M., see Ken-Dror, A., 209
Zhu, Y., Georgesco, M. and Cadilhac, J., Normal latency values of early cortical somatosensory evoked potentials in children, 471

*Electroencephalography and clinical Neurophysiology*, 1987, 68: 489–492
Elsevier Scientific Publishers Ireland, Ltd.



# INDEX OF SUBJECTS

## VOLUME 68 (EP), 1987

(Abstracts from Society Proceedings are not included)

Afferent activity
– human SEP and AEP interactions, 295
Age
– and stimulus intensity effects on BAEPs, 231
– effects on pattern ERGs and VEPs, 161
– effects on tibial nerve SEPs, 277
Antiepileptic drug effects on SEPs and BAEPs, 475
Arousal
– sleep state and VEPs in neonates, 223
Artifact
– BAEPs in brain-stem monitoring, 433
Attention
– selective listening and ERPs, 458
Auditory nerve
– lesion effects on the cat 3-CLT of BAEPs, 360
Auditory responses
– and bitemporal lesions, 132
– and colliculus lesions, 237
– detectability of MLRs, 234
– ERPs in infants and adults, 303
– human SEP and AEP interactions, 295
– in congenital hydrocephalus, 202
– pattern-reversal AEPs, 157
– probability, task difficulty and P300, 311
– reliability estimates for steady-state EPs, 119
– selective listening and ERPs, 458
– *see also* Brain-stem auditory potentials
Automatic peak detection
– BAEPs in brain-stem monitoring, 433
Averaging
– bit-mapped imaging of human SEPs, 1
– surface recorded SEP processing, 40

BAEPs, *see* Brain-stem auditory potentials
Blindness
– plasticity of vision after cerebral blindness, 70
Book reviews, 79
Brain death
– and short-latency SEPs, 75
– brain-stem monitoring in coma, 446
Brain-stem
– BAEPs in brain-stem monitoring, 433
– colliculus lesions and AEPs, 237
– lesion effect on cat BAEPs, 360
– SEPs in human thalamic VPL and lemniscus medialis, 187
Brain-stem auditory potentials
– brain-stem monitoring in coma, 446
– carbamazepine and valproate effects, 475
– cat planar segments of BAEP 3-CLT, 333
– electrode position in the cat BAEP 3-CLT, 341
– human planar segments of BAEP 3-CLT, 368
– in brain-stem monitoring, 433
– lesion effect on cat BAEP 3-CLT, 360
– maturation and rate effect, 209
– methodology of BAEP 3-CLT, 327
– normative data in children and adults, 479
– overview of BAEP 3-CLT, 323
– references concerning BAEP 3-CLT, 412
– reproducibility, 45
– rotating dipoles of BAEP 3-CLT, 409
– stimulus intensity and age effect, 231
– stimulus intensity effect on cat BAEP 3-CLT, 349
– theory of BAEP 3-CLT, 386
– *see also* Lissajous' trajectories

Carbamazepine effects on SEPs and BAEPs, 475
Cardiac surgery
– use of VEPs for CNS monitoring, 241
Carotid endarterectomy and SEP monitoring, 424
Carpal tunnel syndrome diagnosis, 101
Cerebral cortex
– cortical generators of pattern-onset VEP, 256
– input-output of sensorimotor cortex in man, 88
Cervical radiculopathy and ulnar SEPs, 415
Children
– auditory ERPs, 303
– early SEPs, 471
– median nerve stimulation, 180
– normative BAEPs, 479
– use of VEPs for CNS monitoring, 241
Circulation
– SEP monitoring during carotid endarterectomy, 424
Cognitive processes
– EPs in congenital hydrocephalus, 202
Colliculus lesions and AEPs, 237
Coma
– brain-stem monitoring, 446
Conduction velocity

0168-5597/87/$03.50 © 1987 Elsevier Scientific Publishers Ireland, Ltd.

– diagnosis of carpal tunnel syndrome, 101
– of spine and scalp SEPs, 287
– paraspinal SEPs and spinal lesions, 268
Cortical dipole generators
– bit-mapped imaging of human SEPs, 1

Deep structures
– colliculus lesions and AEPs, 237
– SEPs from the thalamic VPL in humans, 187
Deferoxamine and subclinical VEP abnormalities, 81
Development, *see* Maturation
Diagnosis
– of carpal tunnel syndrome, 101
– ulnar SEPs in cervical myelopathy, 415
Digital filtering, *see* Filtering
Discrimination
– selective listening and ERPs, 458

Electrode position in the cat BAEP 3-CLT, 341
Epilepsy
– antiepileptic drug effects on SEPs and BAEPs, 475
ERG
– aging and sex effects, 161
Event-related potentials
– auditory ERPs in infants and adults, 303
– P300, probability, task difficulty, 311
– selective listening, 458

Field potentials
– bit-mapped imaging of human SEPs, 1
Filtering
– BAEPs in brain-stem monitoring, 433
– detectability of MLRs, 234
– surface recorded SEP processing, 40

Generators
– bit-mapped imaging of human SEPs, 1
– input-output of sensorimotor cortex in man, 88
– lesion effect on cat BAEP 3-CLT, 360
– of pattern-onset VEP, 256
– rotating dipoles of BAEP 3-CLT, 409
– short-latency SEPs in brain-dead patients, 75
– theory of BAEP 3-CLT, 386

Hemispheric lesions and SEPs, 107
Hydrocephalus, sensory and cognitive EPs, 202
Hypothermia
– use of VEPs for CNS monitoring, 241

Imaging
– bit-mapped imaging of human SEPs, 1
Interstimulus interval
– auditory P300, probability, task difficulty, 311
Ischemia
– SEP monitoring during carotid endarterectomy, 424

Lesions
– colliculus lesions and AEPs, 237
– lesion effect on cat BAEP 3-CLT, 360
– paraspinal SEPs and spinal lesions, 268
– reliability estimates for steady-state EPs, 119
– SEPs in patients with hemispheric lesions, 107
Lissajous' trajectories
– cat planar segments of BAEP 3-CLT, 333
– electrode position of the cat BAEP 3-CLT, 341
– human planar segments of BAEP 3-CLT, 368
– lesion effect on cat BAEP 3-CLT, 360
– methodology of BAEP 3-CLT, 327
– overview of BAEP 3-CLT, 323
– references concerning BAEP 3-CLT, 412
– rotating dipoles of BAEP 3-CLT, 409
– sciatic nerve 3-CLT, 380
– stimulus intensity effect on cat BAEP 3-CLT, 349
– theory of BAEP 3-CLT, 386
Listening and ERPs, 458

Mapping, *see* Topographical analysis
Maturation
– and pattern ERGs and VEPs, 161
– auditory ERPs, 303
– early SEPs, 471
– median nerve stimulation in young children, 180
– of BAEPs, rate effect, 209
– of VEPs in normal full-term and premature neonates, 20
– SEPs to tibial nerve stimulation, 28
– wave form analysis of the flash VEP, 149
– *see also* Retardation
Median nerve
– diagnosis of carpal tunnel syndrome, 101
– gating of SEPs during voluntary movement, 226
– human SEP and AEP interactions, 295
– SEPs in patients with hemispheric lesions, 107
– SEPs from the thalamic VPL in humans, 187
– stimulation in young children, 180
– ulnar SEPs in cervical myelopathy, 415
Methodology of BAEP 3-CLT, 327
Models
– theory of BAEP 3-CLT, 386
Monitoring
– BAEPs in brain-stem monitoring, 433
– brain-stem monitoring in coma, 446
– SEP monitoring during carotid endarterectomy, 424
– use of VEPs for CNS monitoring, 241
Motor activity
– gating of SEPs during voluntary movement, 226
Motor cortex
– bit-mapped imaging of human SEPs, 1
– input-output of sensorimotor cortex in man, 88
Movement
– gating of SEPs during voluntary movement, 226
Myelopathy
– ulnar SEPs in cervical myelopathy, 415

Neonates
– age effect on BAEPs, 231
– maturation of BAEPs, rate effect, 209
– reproducibility of BAEPs, 45
– VEPs in normal full-term and premature neonates, 20
– wave form analysis of the flash VEP, 149
– *see also* Preterm infants
Nerve
– diagnosis of carpal tunnel syndrome, 101
– *see also* Conduction velocity
Neurological disorders
– EPs in congenital hydrocephalus, 202
– ulnar SEPs in cervical myelopathy, 415
Neurotoxicity of drugs
– VEP abnormalities after deferoxamine, 81
Normative BAEPs in children and adults, 479

Occipital cortex
– cortical generators of pattern-onset VEP, 256
Optic neuropathy
– VEPs and pattern orientation in macular disease, 172

Pattern
– aging and sex effects on pattern ERGs and VEPs, 161
– cortical generators of pattern-onset VEP, 256
– orientation in macular disease, 172
– sex and head size effect on pattern visual P100, 219
Pattern reversal AEPs, 157
Peroneal nerve
– conduction characteristics of spine and scalp SEPs, 287
– human SEP and AEP interactions, 295
– SEPs in patients with hemispheric lesions, 107
Plasticity of vision after cerebral blindness, 70
Preterm infants
– and VEPs, 20
– effects of sleep state on VEPs, 223
– maturation of BAEPs, rate effect, 209
– SEPs to tibial nerve stimulation, 28
P100
– normal temporal variability, 153
– sex and head size effects, 219
P300, probability and task difficulty, 311

Radial nerve
– diagnosis of carpal tunnel syndrome, 101
Radiculopathy
– ulnar SEPs in cervical myelopathy, 415
Retardation
– wave form analysis of the neonatal flash VEP, 149
Retina
– aging and sex effects on pattern ERGs and VEPs, 161
– delayed VEPs in macular disease, 172
– pattern orientation in macular disease, 172

Scalp recording
– aging effect on tibial nerve SEPs, 277
– conduction characteristics of SEPs, 287
Sciatic nerve 3-CLT, 380
Sensorimotor cortex input-output in man, 88
Sensory responses
– diagnosis of carpal tunnel syndrome, 101
– EPs in congenital hydrocephalus, 202
– gating of SEPs during voluntary movement, 226
Sex
– and aging effects on pattern ERGs and VEPs, 161
– and aging effects on tibial nerve SEPs, 277
– and head size effect on pattern visual P100, 219
Signal-to-noise ratio
– reliability estimates for steady-state EPs, 119
– surface recorded SEP processing, 40
Sleep
– effects of sleep state on VEPs in neonates, 223
– reliability estimates for steady-state EPs, 119
Smoking
– wave form analysis of the neonatal flash VEP, 149
Sodium valproate effects on SEPs and BAEPs, 475
Somatosensory potentials
– aging effect on tibial nerve SEPs, 277
– bit-mapped imaging of human SEPs, 1
– carbamazepine, valproate, SEPs and BAEPs, 475
– conduction characteristics of spine and scalp SEPs, 287
– early SEPs in children, 471
– from the thalamic VPL in humans, 187
– gating of SEPs during voluntary movement, 226
– human SEP and AEP interactions, 295
– in normals and patients with hemispheric lesions, 107
– in normal full-term and premature neonates, 20
– input-output of sensorimotor cortex in man, 88
– median nerve stimulation in young children, 180
– monitoring during carotid endarterectomy, 424
– paraspinal SEPs and spinal lesions, 268
– sciatic nerve 3-CLT, 380
– short-latency SEPs in brain-dead patients, 75
– surface recorded SEP processing, 40
– ulnar SEPs in cervical myelopathy, 415
Source
– cortical generators of pattern-onset VEP, 256
Spatial frequency in macular disease, 172
– effect of blur and contrast on VEP latency, 247
Spinal cord
– aging effect on tibial nerve SEPs, 277
– conduction characteristics of SEPs, 287
– paraspinal SEPs and spinal lesions, 268
– surface recorded SEP processing, 40
Stature
– median nerve stimulation in young children, 180
Steady-state EPs, reliability estimates, 119
Subclinical VEP abnormalities after deferoxamine, 81
Sural nerve
– conduction characteristics of SEPs, 287

Task difficulty, auditory P300, probability, 311
Temporal lobe
– reliability estimates for steady-state EPs, 119

Thalamus
- SEPs from the thalamic VPL in humans, 187
Tibial nerve
- aging effect on SEPs, 277
- conduction characteristics of SEPs, 287
- SEPs in premature neonates, 28
- ulnar SEPs in cervical myelopathy, 415
Topographical analysis
- bit-mapped imaging of human SEPs, 1
- input-output of sensorimotor cortex in man, 88

Ulnar SEPs in cervical myelopathy, 415

Vestibular
- short-latency vestibular EPs, 58
Vision plasticity after cerebral blindness, 70
Visual evoked potentials
- aging and sex effects on ERGs and VEPs, 161
- and pattern orientation in macular disease, 172
- cortical generators of pattern-onset VEP, 256
- effect of blur and contrast on VEP latency, 247
- effect of sleep state in neonates, 223
- in congenital hydrocephalus, 202
- in normal full-term and premature neonates, 20
- normal temporal variability of the P100, 153
- plasticity of vision after cerebral blindness, 70
- sex and head size effect on P100, 219
- subclinical VEP abnormalities after deferoxamine, 81
- use of VEPs for CNS monitoring, 241
- wave form analysis of the neonatal flash VEP, 149
- *see also* Pattern
Voluntary movement
- gating of SEPs, 226